



therdex

MAINTENANCE MANUAL

LVT FLOORS

In this Therdex maintenance manual you will find tips and advice for cleaning and maintaining your LVT floor. Start cleaning the floor 48 hours after installation of the floor. This ensures the glue has a chance to harden properly. It is advised to do this with the James Basic Cleaner.

CLEANING THE FLOOR

Cleaning your Therdex floor should only be done by vacuuming and mopping the floor.

1. Remove loose dirt by vacuuming. Use the soft brush setting on the vacuum cleaner to prevent scratches.
2. When mopping the floor, use a two-bucket mopping system: a bucket with mopping water and a bucket with clean water to rinse the mop in between.
3. Add James Floor Cleaner & Quick Dry product to the bucket with mop water. This product cleans the matt PU layer of the LVT floor without affecting the appearance of the floor.
4. Do not leave any puddles of water on the floor, but mop them up as quickly as possible.

REGULAR CLEANING

For thorough cleaning of the LVT floor, we recommend the James Basic Cleaner. This removes stubborn dirt and brings the floor back to its basic state. This basic cleaner is also a good choice for stains and streaks. Do this at least twice a year, or more often if desired.

REMOVING STAINS

To safely remove stains such as paint and nail polish, we recommend the James Remover. Under no circumstances should you use (aggressive) household products that are not matched to the floor. These cause unnecessary and irreparable damage.

JAMES CLEANING PRODUCTS

James is our regular partner in the field of cleaning products. We advise you to use them at all times.



JAMES FLOOR CLEANER (A)

This cleaner effortlessly removes dirt and gives the floor a fresh look.



JAMES FLOOR CLEANER (B)

This cleaner fixes superficial scratches and streaks, as an additional product to the James floor cleaner A.



JAMES BASIC CLEANER

The basic cleaner is suitable for thorough cleaning. For periodic use - keeps the floor perfectly clean.



JAMES REMOVER

The James Remover is a stain remover for, for example paint or felt-tip pen, or sticky residues.

In addition to our cleaning products, James offers many more solutions. Visit www.james.eu for more information.



ADDITIONAL TIPS

1. BLINDS

We recommend applying sufficient sunscreens in the room in which the floor has been installed. This prevents discolouration of the floor.

You can do this for example by applying curtains, vitrage or slats. Do you prefer to keep the window as 'open' as possible? Then use transparent window film.

2. SEAT PROTECTION

Protect the floor from scratches by mounting floor protectors on the furniture.

Scratch no More offers the right protective caps for every solution. These caps extend the service life of the LVT floor is significantly.

Get 5% off your purchase on www.scratchnomore.nl with code 'SNM50011378'.

3. DIRT FROM OUTSIDE

Most dirt is brought in from outside. A good doormat at the entrance is of great importance to prevent 'outside dirt' from spreading through the house.

Please note! Always cut a doormat into the floor. A doormat with a rubber base can move and cause discolouration.



info@therdex.nl | www.therdex.com | Sasdijk 14 | 8281BM Genemuiden